



DAIKIN APPLIED SERVICE

Daikin Cloud Plus





Introduction to Daikin Cloud Plus

Daikin Cloud Plus is a cloud-based remote control and monitoring solution for Daikin commercial HVAC installations. Using enhanced control, monitoring and predictive logic, Daikin Cloud Plus provides real-time data and support from Daikin experts to help you identify cost-saving opportunities, increase the lifetime of your equipment and reduce the risk of unexpected issues.

The ultimate control over your indoor climate and air quality


- Save energy & reduce costs
- Enhance comfort & satisfaction
- Smart control from anywhere
- Ensure healthy indoor environment
- Maximise uptime (remote prediction, monitor & diagnose)
- Integrates easily with building systems

Supporting your business and helping you succeed


- Maximise comfort and satisfaction of your staff, customers, tenants, ...
- Save energy & reduce costs
- Facilitate your sustainability goals
- Cost effective control and energy monitoring of HVAC and other facility systems such as lighting
- Limits the necessity for on-site interventions
- Minimises downtime and engineer call outs

Main applications

Light commercial and commercial systems



From one to ∞ sites




Benefits



Easy control of multiple sites

- Remote control and manage sites remotely
- Floor plan control per site
- Multi-site access
- Permission based access



Connectivity and integration possibilities

- Simple to advanced edge controllers
- Various interfaces
- Advanced security



Save energy & meet sustainability goals

- Monitor energy consumption trends
- Smart control of systems to save energy
- Insights to improve HVAC system performance
- Reduced costs
- Contribute to carbon neutrality



Manage, monitor and control indoor climate from anywhere



- Limits the necessity for on-site control
- Minimises downtime and engineer call outs
- Optimised maintenance
- Monitoring of indoor air quality

Interfaces


- Daikin Cloud Plus connects with Daikin units for commercial applications: Daikin VRV and Skyair range, Ventilation, Air curtains
- Connection over BACnet with Air handling units, Chillers and 3rd party systems possible
- Daikin AIQ sensor integration
- Connection with other facilities in the building f.ex. lights through I/O and Wago interfaces possible
- Connection with energy meters possible
- Compatible to co-exist with other gateways and interfaces in the system
- Integration via other gateways, Daikin Cloud Plus as part of the system




Cloud application interface




Dashboard



Equipment List



Energy Consumption



Layout View

* Features depend on unit compatibility and region. Images are indicative and might change if the product evolves.



What needs do we solve?



Were you aware that HVAC systems account for as much as 40% of the total energy consumption in buildings?

- Daikin Cloud Plus logs historical data and allows you to monitor, compare HVAC consumption
- Daikin Cloud Plus allows you to integrate with energy meters so you can monitor not only HVAC but also other energy consumers (facility, gas, water, ...)
- Daikin Cloud Plus allows you to configure and control the system smarter to save energy with restrictions, "if this than that" rules, schedules, etc.



How to manage and remote control one or multi-site building estate and apply uniformisation in climate control?

- Daikin Cloud Plus allows you to monitor, manage and control multiple sites from anywhere
- Daikin Cloud Plus allows to compare multiple sites



How give peace of mind about indoor air quality?

- Daikin Cloud Plus integrates with IAQ sensors and can take automated actions or provide warnings where needed
- Daikin Cloud Plus allows to monitor and analyse the indoor air quality in order to take necessary actions



Are you interested in tracking the progress of sustainability goals or the sustainability policies you put into action?

- Daikin Cloud Plus allows you to monitor, analyse and compare HVAC energy consumption
- Daikin Cloud Plus allows you to remote control and manage new cooling or heating related policies (e.g. heating setpoint of 1° lower)



How to control my other systems at the facility?

- Daikin Cloud Plus provides possibilities to integrate with other facility systems as a stand-alone system, such as integration with lighting system
- Daikin Cloud Plus provides possibilities to integrate with other facility management systems like BMS or BEMS



How do you ensure maximum comfort and minimal interruptions of cooling and heating?

- Daikin Cloud Plus can predict failures to anticipate and prevent unplanned downtime of the heating or cooling
- Daikin Cloud Plus real-time system error notifications to ensure a direct response in case something goes wrong
- Daikin Cloud Plus logs all events in the system and visualised the temperature evolutions
- Daikin Cloud Plus remote system access to indoor and outdoor unit operational data reduces engineering visits on site

Daikin Cloud Plus Service Packages



1 CONTROL & MONITORING

Put you in the driving seat of your energy management

- Centralised control and monitoring of all your premises wherever you are
- Get actual operational data of all your systems
- Visualise energy consumption and reduce energy waste by comparing different sites

2 REMOTE SUPPORT & DIAGNOSTIC*

Enjoy Daikin specialist supervision and focus on your core business

- Early warning of system deviations to maximise system uptime and avoid emergency repairs
- Service providers have access to operational data so they arrive on site prepared
- Remote expert assistance by Daikin experts in case of errors
- Check errors remotely without having to go on site

3 ADVICE & OPTIMISATION*

Get the best out of your system through expert advice

- Periodical analysis and optimisation report by Daikin experts
- Personalised actions to maximise energy efficiency and comfort
- Increased system lifetime as the system runs as it should



| Available for Edge & Edge Lite | | | |
|--------------------------------|--|--------------------------------------|--------------------------------|
| | 1 CONTROL & MONITORING | 2 REMOTE SUPPORT & DIAGNOSTIC* | 3 ADVICE & OPTIMISATION* |
| Daikin Cloud Plus Features | Remote Control, Demand Control & Scheduling | • | • |
| | Energy Monitoring | • | • |
| | Interlocking | • | • |
| | Multi-site Management | • | • |
| | Building Integration | • | • |
| | Alarm Email Notification** | • | • |
| | Power Consumption Distribution | • | • |
| | Remote Field Settings | • | • |
| | Site and Alarm History | • | • |
| | Prediction & Email Notification | • | • |
| | Operational Data Access | • | • |
| | Indoor and Outdoor Units Analysis | • | • |
| Daikin Services | Remote Diagnostic & Support by Daikin | • | • |
| | Periodical Analysis & Optimisation Advice by Daikin | | • |
| | Combinable with Maintenance Contract: - Technical Inspection - Preventive Maintenance - Comprehensive Maintenance | Complementary | Complementary |

* Only for VRV

**Available from April 2025

Main features



Remote Control, Demand Control and Scheduling

Control and monitor the climate of your buildings at any time, from anywhere. From a web browser, it is possible to adjust your units' parameters, including temperature setpoints, fan speeds, heating or cooling operation modes and much more. All these parameters can be scheduled for maximum convenience during weekdays, weekends, holidays, office hours, opening hours, etc. Schedules are stored on the controller so the units are functioned as scheduled despite the internet connection. Additionally, units can be positioned in a visual floor plan to make it easier to locate an unit and change the setpoints remotely. Demand control reduces the peak consumption with minimal impact on comfort by predicting future needs and adjusting the operational capacity of the units accordingly.




Energy Monitoring

Get detailed visualisation and export energy data of your buildings. Powerful graphs, comparisons and visualisations are available to help you assess the performance and potential improvements to reduce excessive energy and lower your energy costs. Next to detailed energy data of HVAC systems, it is possible to add external meters to measure consumption of lighting and water systems.



Interlocking

Smart rules can be integrated to optimise the operation of your units by setting specific triggers and scheduling necessary actions when these conditions happen. Through "if this, then that" principle, both the comfort of users and the efficiency of units can be optimised. For example, a rule can be: "If a window is open, then after 5 minutes, turn off the air-conditioner". Furthermore, the system enables setting restrictions remotely. For example, a user can only change the temperature between certain limits, which gives users control over their comfort while restricting extreme settings.



Multi-site Management

Get a map view of all your sites with status alerts, benchmark and compare sites to one another. From the map view, you can get direct access to each site to monitor and control the site remotely. This helps to reduce site visits and get insights that lead to opportunities for reducing operational costs while maintaining great comfort levels.



Building Integration

Not only HVAC but other facilities in the buildings can be controlled from the central platform. For example, the lighting system can be included in schedules and integrated with interlocking to have one single point of control and optimise energy efficiency for your buildings.

Use cases



For offices

- Setting temperature ranges for office areas to avoid extreme settings by staff
- Detailed energy monitoring and export of data per tenant of different office areas
- Estimation of energy consumption and setting the right pricing for each tenant
- Scheduling and restrict controls to avoid energy waste and save energy costs



Alarm Email Notification

Receive alarm notifications for your sites and stay updated on alarm statuses. View active alarms in the platform and receive email notification containing information about the alarms on the Daikin Cloud Plus platform.



Power Consumption Distribution

Proportional distribution of power consumption allows you to calculate the consumption for specific areas in your buildings. For example, you can calculate how much power is used by a tenant on a certain floor. For this function, energy meters are required.



Remote Field Settings

Field settings of outdoor units can be adjusted remotely. This allows technicians and building operators to adjust, configure and monitor outdoor units from a distance, reducing the need to be at the location, save time and costs associated with travel, labour and maintenance, increase efficiency and overall performance.



Site and Alarm History

Trace schedule trigger units or manual actions that were done on the units and sites. Past events, changes, and adjustments, enabling you to identify trends, gauge performance improvements, and strategise for the future. By drawing from historical data, you'll make informed decisions, adapt strategies, and drive continuous enhancements, revolutionising your HVAC management approach. Get detailed overview of alarms relating to your sites and real-time status of the alarms.



Prediction & Email Notification

Early fault predictive algorithms help to prevent major failures. Based on the alarm and operational data, unit-specific prediction logic allows you to preventively, see whether a unit could run into issues. Prediction logic alarms will be generated in this case, allowing early warnings and ensuring smooth operation.



Operational Data Access

Effortlessly monitor, analyse, and fine-tune HVAC parameters remotely, enabling you to make informed decisions on the go. Real-time access to operational data, performance metrics, and energy usage empowers you to adjust settings, troubleshoot anomalies, and maintain peak efficiency, all while minimising the need for physical intervention. Operational data can be downloaded for further analysis and periodical reporting.



Indoor & Outdoor Unit Analysis

Dive into comprehensive insights into each unit's performance, energy consumption, and environmental impact. Seamlessly compare data across units, pinpointing inefficiencies and optimising your system's overall effectiveness. With a holistic view of indoor and outdoor units, you'll achieve unprecedented levels of operational harmony and energy savings.

* Features depend on unit compatibility and region.
Images are indicative and might change if the product evolves.

For retailers


- Remote control and monitoring of all units in different shops from a centralised platform
- Testing and validating parameters and standardising settings for shops
- Energy visualisations and exports
- Remote control over lightings

For hotels

- Setting temperature ranges for rooms to avoid extreme settings by guests
- Energy monitoring
- Scalability made easier thanks to standardised system settings

Controllers & accessories

Composition



Controller features

| | | | | DGE601A51 (Edge) | DGE602A51 (Edge lite) |
|--------------------------|----------------------|-------------------------|-----------------------------------|------------------|-----------------------|
| Controller specification | I/F | DIII | port | 2 | 1 |
| | | | (Indoor unit connection / port) | 64 | 64 |
| | | Ethernet | Internet | 1 | 1 |
| | | | 2nd LAN port (BACnet) | 1 | 0 |
| | | RS485 | WAGO | 1 | 0 |
| | | | For DIII NET Plus ADP | 1 | 0 |
| | | ADP | (Maximum expansion) | 6 | |
| | | | Di/Pi | 8 | 4 |
| | | Contact | Do | 3 | 2 |
| | | | | | |
| | Number of connection | DIII management points | Standard | 128 | 64 |
| | | | Maximum with ADP | 512 | - |
| | | Total management points | Including AC and other facilities | 960 | 76 |





For more information visit: www.daikinapplied.uk/service

For all Daikin Applied UK, Daikin
Applied Service, Rental Solutions,
& Spares enquiries call us on:
0345 565 2700



Follow us:
www.linkedin.com/company/daikin-applied-service/



The present publication is drawn up by way of information only and does not constitute an offer binding upon Daikin Applied (UK). Daikin Applied (UK) has compiled the content of this publication to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Applied (UK) explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this publication.